

1 PC - Requirements

SECRET

PCS-M69-009

20 February 1969

MEMORANDUM FOR: Chief, Support Services Staff, DDS

SUBJECT : Office Information Processing Plans and Requirements

REFERENCE : Your Memorandum dated 22 January 1969, same subject

1. As requested in the reference, the following report excludes the ADP equipment used in communications systems (MAX, ACT, etc.,). Consequently, the SIPS project is the sole remaining ADP program item which will have a substantial impact on the Office of Communications workload. It is understood that the implementation of SIPS (first phase) has been postponed from FY-1969 to FY-1970 or FY-1971, and that the subsequent phases, originally planned for FY-1970 to FY-1974, are consequently rescheduled for FY-1971 to FY-1975.

2. Attached you will find an extract from the OC FY-1971 to FY-1975 program submission, which indicates the resources required to provide communications support to the SIPS program. The SIPS communications support is phased to correspond to the current plans for SIPS terminals and each phase can be advanced or delayed to parallel the fiscal years in which terminals are activated and the necessary resources are made available.

25X1A

3. With respect to the service which this office expects to obtain from ADP, including SIPS, it is understood that [redacted] of your Staff is currently screening OC's current and projected requirements to determine if these requirements are applicable for SIPS processing. A listing and a description of these requirements have been given to [redacted] to facilitate his work. It is understood that a refinement of our requirements is now in process and that the resultant product will be available to your office at all stages of preparation. If you have further questions on OC requirements, or if this office can be of further assistance in this matter, please feel free to request additional information or assistance.

25X1A

4. The current OC (ADP Unit 0402) ADP system inventory (other than MAX) includes:

<u>SYSTEM NO.</u>	<u>CPU</u>
02	CDC 8090
05	DEC PDP-8
99	IBM PCAM

SECRET

GROUP 1
Excluded from automatic

~~SECRET~~

25X1A

SUBJECT: Office Information Processing Plans and Requirements

These on-going systems will continue to be utilized at approximately the same level as in the past.

5. Not reported in the ADP Unit 0402 inventory are the following special ADP systems:

25X1C

SYSTEM TITLE

ADP EQUIPMENT

<u>SYSTEM TITLE</u>	<u>ADP EQUIPMENT</u>

6. The OC Special Programs Support Center has a requirement for either a small computer or for access to a larger, centrally located computer. It is understood that your office is studying the feasibility of establishing a central computer facility [] which could satisfy this requirement as well as any others which may exist in that general location. Finally, it is understood that proposed leasing of an NCR 615 to replace system 99 (EAM) [] has been disapproved, but that your office is studying alternative approaches to meet the workload which apparently is not being handled satisfactorily by the EAM equipment.

25X1A

25X1A

25X1A

--

Information Processing Coordinator
Office of Communications

Att
SIPS Commo Support

~~SECRET~~